Scott. II-29—85,000—2-11-26.

Law (Genl)(192 7) Department.

JM SERIES.

G.O. No. 2357

DATED 30-7-27

[Despatch Abstract.]

Petroleum

Special licence - Agents of the Asiatic Petroleum Company (India) Ltd. - Storage at Hampankatta, Mangalore Town - granted.

C.F. 30—10,000—7-8-26.

LAW (GENERAL) DEPARTMENT. Law (G) 4441C

22/7/27

Received ..... 192 *Registered* 192



Subject

Petroleum - Special licence - Agents of the Asiatic Petroleum Company (India) Limited - Storage at Hampankatta - Mangalore Town - recommended.

ENCLOSURES.
No. .....
.....
Spare copies .....

Ref.No. C.3006-27.

Station Mangalore, *Dated the* 19th July 1927.

From (Name) E. M. Cawne, Esquire, I.C.S.,

(Designation) Dt. Magistrate of South Kanara.

To The Secretary to the Government of Madras,

Law (General) Department.

Madras.

Sir,

The Agents of the Asiatic Petroleum Company (India) Limited, Calicut have applied for a licence to their Agents at Mangalore to instal a petrol Kerbside pump at Hampankatta in the town of Mangalore with an underground tank of a storage capacity of 500 gallons. The Chief Inspector of Explosives has been consulted in the matter. The case is exactly similar to the Burma Oil Company Kerbside pump, for which Government has issued a licence in G.O.No.1949-Law (General), dated 21st June 1927.

2. The Mangalore Municipality has leased out the requisite land to the Agents of the Company and the erection of the pump has been completed.

3. I have inspected the pump. The public traffic is not in any way interfered with by the installation of the pump and the tank at the place.

4. As there is no Executive Engineer in this district, I got the work inspected by Mr. H.T.E. Thorpe, Engineer of the Commonwealth Engineering Works, Mangalore. His certificate regarding the safety of the installation is enclosed. p3of

5. The Agents of the Company at Mangalore have credited to the Treasury a sum of Rs.8/- under Challan No.319/90, dated 16th July 1927 being the licence fee. The capacity of the underground tank is 500 gallons. I request that Government may be pleased to issue to the Agents at Mangalore the special licence applied for by the Company.

Dt. Magistrate.

M.D'S.19/7.

37

This is to certify that I have inspected the Kerbside Pump installed at Hampankatta, Mangalore, by The Asiatic Petroleum Company(India)Ltd., and in my opinion it can safely be used for the storing of petrol in bulk to the extent of 500 gallons and this petrol can be issued to the public by means of the pump with safety.

M a n g a l o r e,
12th July 1927.

H. V. E. Sharpe A.M.I.Mech.E.

Sectt. II-5 (b)—3,006—9-11-26. (6)

Law (Genl) DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.	27/7/27	
When copied	27/7/27	
When examined	30/7/27	
When signed	30/7/27	
When despatched		

Petroleum

Special license - Agents of the Asiatic Petroleum Company (India) Ltd. - Storage at Hampankatta, Mangalore Town - granted

SECRETARIAT 30 JUL 1927 LAW DEPT.

READ AGAIN G.O. No. ..... dated ..... 192 .

" " " " ..... " ..... 192 .

READ ALSO :—

C. No. 4641C. From the Dist. South Kanara, No. C. 3006-27 dated 19.7.1927.

" " ..... " " ..... " ..... " ..... 192 .

" ..... " " ..... " ..... " ..... 192 .

ORDER.

mio.

No. 2357, dated 30/7/27 192 .

A Special license under rule 6, Chapter IV of Part II of the Petroleum rules for the storage of 500 (five hundred) gallons of dangerous petroleum in an underground tank at Hampankatta in the town of Mangalore is granted to the Agents of the Asiatic Petroleum Coy. (India) Ltd. at Mangalore.

2. The license will be forwarded to the Dist. for delivery to the ferin.

27.7.27

MRBm
25.7.27

PBR
25/7

28.7.27

DESPATCHED
Initials
Date 92

To

The Dist. South Kanara - with license

The C.I. of Explosives - with Copy of license

P.T.O.

Special License to possess dangerous petroleum in one receptacle containing more than sixty-five gallons.

(Rule 6, Chapter IV of Part II.)

No. Fee Rs. 8/-

License is hereby granted to the Agents of the Asiatic Petroleum Company (India) Ltd. at Mangalore for the storage in the licensed premises described below of 500 gallons of dangerous petroleum in one tank subject to the rules for the storage of petroleum published in notification No. 441, dated 26th July 1909, and to the further conditions attached hereto.

D 27.7.27 to 28.7.27

The July *1927.* *for Secretary to the Government of Madras*

[Description of the licensed premises above referred to.]

The licensed premises are situated at Kanpankatta in the town of Mangalore and consist of a gas tight tank of a capacity of 500 gallons sunk underground.

M Bom 25.7.27.

P&R 26/7

Conditions of license.

1. The petroleum shall be stored in one gas tight metal tank of a capacity of 500 gallons sunk completely underground in the position shown on plan submitted, and placed in a pit lined with concrete or brick in cement, the tank being packed round with sand, earth or clay, so that no air space is left below ground level and the tank is not visible.

2. A pump or pumps shall be placed in the position shown on plan submitted, the pipe connection between the tank and the pump or pumps shall be placed underground and all joints, valves and cocks shall be gas tight.

3. For the purpose of charging the tanks of locomotives the petroleum shall be—

(*a*) pumped through strong metal piping by means of approved pumps into above-ground measuring tanks of a capacity not exceeding 30 gallons, fixed in approved positions, and run thence through sound hose, fitted with secure self-closing cock and nozzle, into the tanks of locomotives, or

(*b*) pumped through strong metal piping by means of approved pumps into an above-ground service tank of approved capacity, fixed in an approved position, and run thence through strong metal piping into measuring tanks of a capacity not exceeding 30 gallons fixed in approved positions and thence through sound hose, fitted with secure self-closing cock and nozzle, into the tanks of locomotives, or

(*c*) pumped by means of approved measuring pumps, fixed in approved positions, through sound hose fitted with secure tap and nozzle, into the tanks of locomotives.

4. All tanks, pumps, pipes and fittings shall be strongly constructed of the best materials.

5. All service or measuring tanks shall be fitted with overflow and emptying pipes returning to the storage tank.

6. The petroleum shall enter the tank " under seal " and all tanks shall be fitted with a vent pipe leading into the open air, the open end being covered with brass gauze, 32 mesh, and fitted with a hood or the open end shall be fitted with an inlet valve and an exhaust valve.

7. If the licensing officer call upon the holder of a license by a notice in writing, to execute any repairs to the storage premises, which may, in the opinion of such officer, be necessary for the safety of the said premises, the holder of the license shall execute the repairs within such period, not being less than one month from the date of receipt of the notice as may be fixed by the notice.

8. The tank, before being repaired, shall be cleared of all dangerous

8(a) When a tank in position is open for cleaning or repair, no lamps of any description either ordinary, electric, electric torches or electric cables or electric fans shall be brought near the manhole of the tank (the inside of the tank may be lighted by the use of mirrors).

persons ... having actually contained the same.

11. Every person managing or employed on or in connection with the storage of premises shall abstain from any act whatever which tends to cause fire or explosion and which is not reasonably necessary, and shall prevent any other person from doing such act.

12. The storage premises shall be liable to inspection by an officer not being of lower rank than [a] Sub-Inspector of Police authorised by the Local Government in this behalf.

GIPD—641 GIPD—23-1-26—1,000.

13. Except when absolutely necessary for the purposes of condition 8, petroleum shall, on no account, be pumped into any receptacle other than that clamped or fitted to a Motor Vehicle.